



**Maxim Physician Resources
Family Practice (With OB)
Skills Checklist**

Enter the appropriate provider code in the blank next to the procedure. Failure to fill this out correctly can delay the screening process.

Provider Codes

1	Fully competent to perform
2	Competent with supervision
3	Not requested due to lack of expertise

Please check all that apply to your scope of practice.


I. ADULT CARE

A. LEVELS OF CARE

- Emergency Privileges
- Illness or Problem with no apparent threat to life
- Seriously ill patients
- Critically ill patients requiring consultation or referral

B. PROCEDURES

- Arterial puncture
- Biopsy superficial lesions as lymph nodes, lipoma, foreign body, muscles, sebaceous cyst, etc.
- Bivalving & removal of cast or splint
- Bone marrow needle biopsy
- Bone marrow needle aspiration
- Cardiopulmonary resuscitation
- Cast & splint application
- Closed Reduction simple fracture
- Close reduction simple dislocation
- Control of nasal hemorrhage
 - Anterior
 - Posterior (emergency)
- ECG Interpretation
- Emergency thoracotomy
- Emergency tracheotomy
- Endotracheal intubation
- Endotracheal intubation (emergency)
- Exercise electrocardiography
- Gastric lavage
- Gastrointestinal tract intubation
- Hydrocele
- I&D ext thrombosed Hemorrhoid

- 
- Injection: tendon sheath, bursae, trigger point
 - Injection: intra-articular
 - Lacerations
 - Laryngoscopy:
 - Indirect
 - Direct
 - Lumbar puncture
 - Paracentesis
 - Pericardiocentesis (emergency)
 - Peripheral nerve & field blocks
 - Phlebotomy
 - Pinch grafts
 - Placement of venous catheters
 - Proctosigmoidoscopy with biopsy
 - Pulmonary function testing & interpretation
 - Removal of foreign: nose, ear, cornea
 - Removal of rectal impaction or foreign body
 - Skin biopsy
 - Subclavian or jugular puncture or cannulation
 - Subungual hematoma (I&D)
 - Superficial abscesses (I&D)
 - Suprapubic bladder aspiration
 - Thoracentesis
 - Transtracheal aspiration
 - Tube thoracostomy
 - Urinary bladder catheterization
 - Vasectomy
 - Venous cutdown
 - Other (specify)

C. IN CONSULTATION WITH APPROPRIATE SERVICE

- Neoplastic chemotherapy, oral or infusion
- Split thickness grafts
- Other (Specify)

II. OBSTETRIC & GYNECOLOGIC CARE

A. CORE GYN PROCEDURES

- Biopsy of labia, vagina, cervix, endometrium
- Culdocentesis
- I&D, marsupialization or Bartholin's cyst/abscess

B. CORE OB PROCEDURES

- Administration of local & pudendal block
- Amniotomy
- Bedside Ultrasound

Episiotomy & repair, 1st and 2nd degree

Fetal monitoring:

External

Internal

Intrauterine pressure monitoring

Induction of labor

Outlet Forceps

Management of patients while under epidural anesthesia

Manual removal of placenta

Non-stress testing

Normal labor & spontaneous vaginal delivery of term vertex presentation to include cervical assessment

Repair of 3rd-degree extension of episiotomy

Threatened abortion, 1st trimester

Vacuum assisted delivery

III. INFANT AND CHILD CARE

A. CORE PEDIATRIC PROCEDURES

Routine pediatric/newborn care

Emergency newborn resuscitation

B. LEVELS OF CARE

Illness or problem with no apparent threat to life

Seriously ill patient, not including infants less than 2,000 Gm in weight

Critically ill patients requiring consultation and/or referral

C. PROCEDURES

Routine normal newborn care (>2,000 Gm)

Umbilical artery/vein catheterization (for resuscitation only)

Circumcision of newborn infant

Peripheral venous cutdowns

Simple fractures & dislocations

Spinal taps

Other (specify)

IV. SURGICAL CARE


A. LEVELS OF CARE

Illness or problem with no apparent threat to life

Seriously ill patients with conditions benefiting from observation on surgical ward & possible need for surgical consultation and/or referral.

V. ORTHOPEDIC CARE

A. LEVELS OF CARE X

- 
- Illness of problem with no apparent threat to life
 Seriously ill patient with condition benefiting from observation on the orthopedic ward & possible need for orthopedic consultation and/or referral

PHYSICIAN RESOURCES

VI. UROLOGIC CARE

A. LEVELS OF CARE

- Illness of problem with no apparent threat to life
 Seriously ill patient with condition benefiting from observation on the urologic ward & possible need for urologic consultation and/or referral

VII. REHABILITATIVE CARE

A. LEVELS OF CARE X

- Illness of problem with no apparent threat to life
 Seriously ill patient with condition requiring rehabilitative care & possible need for rehab consultation and/or referral

VIII. PSYCHIATRY

A. LEVELS OF CARE

- Ambulatory care only